




| | | | |
|--|--|------------------------|---------------|
| Substitute for form 1449A-B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Complete if Known | |
| | | Application Number | 10/092,011 |
| | | Filing Date | March 5, 2002 |
| | | First Named Inventor | Shuck |
| | | Group Art Unit | |
| | | Examiner Name | |
| | | Attorney Docket Number | 100/12710 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------|----------------------|-------------------------|---|---|
| Examiner Initials | Cite No. | U.S. Patent Document | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY |
| | | Number | Kind Code (if known) | | |
| an | AA | 4,390,403 | | Batchelder | 06-28-1983 |
| | AB | 4,908,112 | | Pace | 03-13-1990 |
| | AC | 5,126,022 | | Soane et al. | 06-30-1992 |
| | AD | 5,498,392 | | Wilding et al. | 03-12-1996 |
| | AE | 5,571,410 | | Swedberg et al. | 11-05-1996 |
| | AF | 5,585,069 | | Zanzucchi et al. | 12-17-1996 |
| | AG | 5,593,838 | | Zanzucchi et al. | 01-14-1997 |
| | AH | 5,603,351 | | Cherukuri et al. | 02-18-1997 |
| | AI | 5,635,358 | | Wilding et al. | 06-03-1997 |
| | AJ | 5,637,469 | | Wilding et al. | 06-10-1997 |
| | AK | 5,699,157 | | Parce | 12-16-1997 |
| | AL | 5,716,852 | | Yager et al. | 02-10-1998 |
| | AM | 5,750,015 | | Soane et al. | 05-12-1998 |
| | AN | 5,779,868 | | Parce et al. | 07-14-1998 |
| | AO | 5,800,690 | | Chow et al. | 09-01-1998 |
| | AP | 5,858,187 | | Ramsey et al. | 01-12-1999 |
| | AQ | 5,858,195 | | Ramsey | 01-12-1999 |
| | AR | 5,869,004 | | Parce et al. | 02-09-1999 |
| | AS | 5,876,675 | | Kennedy | 03-02-1999 |
| | AT | 5,880,071 | | Parce et al. | 03-09-1999 |
| | AU | 5,882,465 | | McReynolds | 03-16-1999 |
| | AV | 5,885,470 | | Parce et al. | 03-23-1999 |
| | AW | 5,932,100 | | Yager et al. | 08-03-1999 |
| | AX | 5,942,443 | | Parce et al. | 08-24-1999 |
| an | AY | 5,948,227 | | Dubrow | 09-07-1999 |
| an | AZ | 5,955,028 | | Chow | 09-21-1999 |
| an | BA | 5,958,694 | | Nikiforov | 09-28-1999 |
| Examiner Signature | <i>an</i> | | | Date Considered | 3/2/05 |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



| | | | |
|---|--|------------------------|---------------|
| Substitute for form 1449A-B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i> | | Complete if Known | |
| | | Application Number | 10/092,011 |
| | | Filing Date | March 5, 2002 |
| | | First Named Inventor | Shuck |
| | | Group Art Unit | 56P 4 |
| | | Examiner Name | 2002 |
| | | Attorney Docket Number | 100/12710 |

| | | | | | | |
|-----------|----|-----------|--|-----------------|------------|--|
| <i>an</i> | BB | 5,959,291 | | Jensen | 09-28-1999 | |
| | BC | 5,965,410 | | Chow et al. | 10-12-1999 | |
| | BD | 5,976,336 | | Dubrow et al. | 11-02-1999 | |
| | BE | 5,989,402 | | Chow et al. | 11-23-1999 | |
| | BF | 6,001,229 | | Ramsey | 12-14-1999 | |
| | BG | 6,001,231 | | Kopf-Sill | 12-14-1999 | |
| | BH | 6,012,902 | | Parce | 01-11-2000 | |
| | BI | 6,042,709 | | Parce et al. | 03-28-2000 | |
| | BJ | 6,062,261 | | Jacobson et al. | 05-16-2000 | |
| | BK | 6,074,725 | | Kennedy | 06-13-2000 | |
| | BL | 6,100,541 | | Nagle et al. | 08-08-2000 | |
| | BM | 6,120,666 | | Jacobson et al. | 09-19-2000 | |
| | BN | 6,149,787 | | Chow et al. | 11-21-2000 | |
| | BO | 6,221,226 | | Kopf-Sill | 04-24-2001 | |
| <i>an</i> | BP | 6,235,471 | | Knapp et al. | 05-22-2001 | |
| <i>an</i> | BQ | 6,280,589 | | Manz et al. | 08-28-2001 | |

| FOREIGN PATENT DOCUMENTS | | | | | | | | |
|--------------------------|----------|-------------------------|---------|----------------------|---|---|---|---|
| Examiner Initials | Cite No. | Foreign Patent Document | | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T |
| | | Office | Number | Kind Code (if known) | | | | |
| <i>an</i> | BR | WO | 9604547 | | Lockheed Martin | 02-15-1996 | | |
| <i>an</i> | BS | WO | 9702357 | | Affymetrix, Inc. | 01-23-1997 | | |
| <i>an</i> | BT | WO | 9845481 | | Caliper | 10-15-1998 | | |

| OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS | | | | | | |
|---|----------|---|--|--|--|---|
| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | | | | T |
| <i>M</i> | BU | DASGUPTA, P.K. et al., "Electroosmosis: A Reliable Fluid Propulsion System for Flow Injection Analysis," <i>Anal. Chem.</i> (1994) 66:1792-1798 | | | | |
| <i>an</i> | BV | EFFENHAUSER, C.S. et al., "Glass Chips for High-Speed Capillary Electrophoresis Separations with Submicrometer Plate Heights," <i>Anal. Chem.</i> (1993) 65: 2637-2642 | | | | |

| | | | |
|--------------------|-----------|-----------------|--------|
| Examiner Signature | <i>an</i> | Date Considered | 3/2/05 |
|--------------------|-----------|-----------------|--------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

615 JC184
SEP 03 2002
PATENT & TRADEMARK OFFICE

(Modified) PTO/SB/08A-B (10-96)
Approved for use through 10/31/99. OMB 0651-0031


| | | | |
|--|--|------------------------|------------------|
| Substitute for form 1449A-B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Complete if Known | |
| | | Application Number | 10/092,011 |
| | | Filing Date | March 5, 2002 |
| | | First Named Inventor | Shuck SEP 4 2002 |
| | | Group Art Unit | |
| | | Examiner Name | |
| | | Attorney Docket Number | 100/12710 |

| | | | |
|---|----|--|--|
| M | BW | EFFENHAUSER, C.S. et al., "High Speed Separation of Anitsense Oligonucleotides on a Micromachined Capillary Electrophoresis Device," <u>Anal. Chem.</u> (1994) 66: 2949-2953 | |
| | BX | EFFENHAUSER, C.S. et al., "Integrated Capillary Electrophoresis on Flexible Silicone Microdevices: Analysis of DNA Restriction Fragments and Detection of Single DNA Molecules on Microchips," <u>Anal. Chem.</u> (1997) 69: 3451-3457 | |
| | BY | FAN, Z.H. et al., "Micromachining of Capillary Electrophoresis Injectors and Separators on Glass Chips and Evaluation of Flow at Capillary Intersections," <u>Anal. Chem.</u> (1994) 66: 177-184 | |
| | BZ | FISTER, J.C. III et al., "Counting Single Chromophore Molecules for Ultrasensitive Analysis and Separations on Microchip Devices," <u>Anal. Chem.</u> (1998) 70: 431-437 | |
| | CA | HADD, A.G. et al., "Microfluidic Assays of Acetylcholinesterase," <u>Anal. Chem.</u> (1999) 71: 5206-5212 | |
| | CB | HARRISON, J. et al., "Capillary Electrophoresis and Sample Injection Systems Integrated on a Planar Glass Chip," <u>Anal. Chem.</u> (1992) 64: 1926-1932 | |
| | CC | HARRISON, J. et al., "Towards Miniaturized Electrophoresis and Chemical Analysis Systems on Silicon: An Alternative to Chemical Sensors*," <u>Sensors and Actuators B</u> (1993) 10: 107-116 | |
| | CD | HARRISON, J. et al., "Micromachining a Miniaturized Capillary Electrophoresis-Based Chemical Analysis System on a Chip," <u>Science</u> (1993) 261: 895-897 | |
| | CE | HARRISON, D.J. et al., "Integrated Electrophoresis Systems for Biochemical Analyses," <u>Solid-State Sensor and Actuator Workshop</u> (1994) 21-24 | |
| | CF | JACOBSON, S.C. et al., "Effects of Injection Schemes and Column Geometry on the Performance of Microchip Electrophoresis Devices," <u>Anal. Chem.</u> (1994) 66:1107-1113 | |
| | CG | JACOBSON, S.C. et al., "High-Speed Separations on a Microchip," <u>Anal. Chem.</u> (1994) 66: 1114-1118 | |
| | CH | JACOBSON, S.C. et al., "Open Channel Electrochromatography on a Microchip," <u>Anal. Chem.</u> (1994) 66: 2369-2373 | |
| | CI | JACOBSON, S.C. et al., "Precolumn Reactions with Electrophoretic Analysis Integrated on a Microchip," <u>Anal. Chem.</u> (1994) 66: 4127-4132 | |
| | CJ | JACOBSON, S.C. et al., "Microchip Electrophoresis with Sample Stacking," <u>Electrophoresis</u> (1995) 16: 481-486 | |
| ↓ | CK | JACOBSON, S.C. et al., "Fused Quartz Substrates for Microchip Electrophoresis," <u>Anal. Chem.</u> (1995) 67: 2059-2063 | |
| M | CL | JACOBSON, S.C. et al., "Integrated Microdevice for DNA Restriction Fragment Analysis," <u>Anal. Chem.</u> (1996) 68: 720-723 | |

| | | | |
|--------------------|-----------------|-----------------|--------|
| Examiner Signature | <u>A. Shuck</u> | Date Considered | 3/2/05 |
|--------------------|-----------------|-----------------|--------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|----------------------|---------------|----|---|----|---|----|--|----|---|----|--|----|--|----|--|----|---|----|---|----|--|----|--|----|---|----|---|----|--|----|---|----|--|
| <p>Substitute for form 1449A-B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT 03 2002 <i>(use as many sheets as necessary)</i></p> | | Complete if Known | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Application Number | 10/092,011 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Filing Date | March 5, 2002 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | First Named Inventor | Shuck | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Group Art Unit | SEP 4 2002 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Examiner Name | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Attorney Docket Number | 100/12710 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p><i>ADMITTED FOR PUBLICATION</i></p> <table border="1"> <tr> <td>CM</td> <td>JACOBSON, S.C. et al., "Electrokinetic Focusing in Microfabricated Channel Structures," <u>Anal. Chem.</u> (1997) 69: 3212-3217</td> </tr> <tr> <td>CN</td> <td>JACOBSON, S.C. et al., "Microfluidic Devices for Electrokinetically Driven Parallel and Serial Mixing," <u>Anal. Chem.</u> (1999) 71: 4455-4459</td> </tr> <tr> <td>CO</td> <td>MANZ, A. et al., "Miniaturized Total Chemical Analysis Systems: a Novel Concept for Chemical Sensing," <u>Sensors and Actuators</u> (1990) B1: 244-248</td> </tr> <tr> <td>CP</td> <td>MANZ, A. et al., "Micromachining of Monocrystalline Silicon and Glass for Chemical Analysis Systems," <u>Trends in Analytical Chemistry</u> (1991) 10:144-149</td> </tr> <tr> <td>CQ</td> <td>MANZ, A. et al., "Planar Chips Technology for Miniaturization and Integration of Separation Techniques into Monitoring Systems," <u>Journal of Chromatography</u> (1992) 593:253-258</td> </tr> <tr> <td>CR</td> <td>MANZ, A. et al., "Planar Chips Technology for Miniaturization of Separation Systems: A Developing Perspective in Chemical Monitoring,"</td> </tr> <tr> <td>CS</td> <td>MANZ, A. et al., "Electroosmotic Pumping and Electrophoretic Separations for Miniaturized Chemical Analysis Systems," <u>J. Micromach. Microeng.</u> (1994) 4: 257-265</td> </tr> <tr> <td>CT</td> <td>MANZ, A. et al., "Parallel Capillaries for High Throughput in Electrophoretic Separations and Electroosmotic Drug Discovery Systems," <u>International Conference on Solid-State Sensors and Actuators</u> (1997) 915-918</td> </tr> <tr> <td>CU</td> <td>McCORMICK, R.M. et al., "Microchannel Electrophoretic Separations of DNA in Injection-Molded Plastic Substrates," <u>Anal. Chem.</u> (1997) 69: 2626-2630</td> </tr> <tr> <td>CV</td> <td>MOORE, A.W. et al., "Microchip Separations of Neutral Species via Micellar Electrokinetic Capillary Chromatography," <u>Anal. Chem.</u> (1995) 67: 4184-4189</td> </tr> <tr> <td>CW</td> <td>RAMSEY, J.M. et al., "Microfabricated Chemical Measurement Systems," <u>Nature Medicine</u> (1995) 1:1093-1096</td> </tr> <tr> <td>CX</td> <td>SALIMI-MOOSAVI, H. et al., "Biology Lab-on-a-Chip for Drug Screening," <u>Solid-State Sensor and Actuator Workshop</u> (1998) 350-353</td> </tr> <tr> <td>CY</td> <td>SEILER, K. et al., "Planar Glass Chips for Capillary Electrophoresis: Repetitive Sample Injection, Quantitation, and Separation Efficiency," <u>Anal. Chem.</u> (1993) 65:1481-1488</td> </tr> <tr> <td>CZ</td> <td>SEILER, K. et al., "Electroosmotic Pumping and Valveless Control of Fluid Flow within a Manifold of Capillaries on a Glass Chip," <u>Anal. Chem.</u> (1994) 66:3485-3491</td> </tr> <tr> <td>DA</td> <td>UEDA, M. et al., "Imaging of a Band for DNA Fragment Migrating in Microchannel on Integrated Microchip," <u>Materials Science and Engineering C</u> (2000) 12:33-36</td> </tr> <tr> <td>DB</td> <td>WANG, C. et al., "Integration of Immobilized Trypsin Bead Beds for Protein Degestions within a Microfluidic Chip Incorporating Capillary Electrophoresis Separations and an Electrospray Mass Spectrometry Interface," <u>Rapid Commun. Mass Spectrom.</u> (2000) 14:1377-1383</td> </tr> </table> | | | | CM | JACOBSON, S.C. et al., "Electrokinetic Focusing in Microfabricated Channel Structures," <u>Anal. Chem.</u> (1997) 69: 3212-3217 | CN | JACOBSON, S.C. et al., "Microfluidic Devices for Electrokinetically Driven Parallel and Serial Mixing," <u>Anal. Chem.</u> (1999) 71: 4455-4459 | CO | MANZ, A. et al., "Miniaturized Total Chemical Analysis Systems: a Novel Concept for Chemical Sensing," <u>Sensors and Actuators</u> (1990) B1: 244-248 | CP | MANZ, A. et al., "Micromachining of Monocrystalline Silicon and Glass for Chemical Analysis Systems," <u>Trends in Analytical Chemistry</u> (1991) 10:144-149 | CQ | MANZ, A. et al., "Planar Chips Technology for Miniaturization and Integration of Separation Techniques into Monitoring Systems," <u>Journal of Chromatography</u> (1992) 593:253-258 | CR | MANZ, A. et al., "Planar Chips Technology for Miniaturization of Separation Systems: A Developing Perspective in Chemical Monitoring," | CS | MANZ, A. et al., "Electroosmotic Pumping and Electrophoretic Separations for Miniaturized Chemical Analysis Systems," <u>J. Micromach. Microeng.</u> (1994) 4: 257-265 | CT | MANZ, A. et al., "Parallel Capillaries for High Throughput in Electrophoretic Separations and Electroosmotic Drug Discovery Systems," <u>International Conference on Solid-State Sensors and Actuators</u> (1997) 915-918 | CU | McCORMICK, R.M. et al., "Microchannel Electrophoretic Separations of DNA in Injection-Molded Plastic Substrates," <u>Anal. Chem.</u> (1997) 69: 2626-2630 | CV | MOORE, A.W. et al., "Microchip Separations of Neutral Species via Micellar Electrokinetic Capillary Chromatography," <u>Anal. Chem.</u> (1995) 67: 4184-4189 | CW | RAMSEY, J.M. et al., "Microfabricated Chemical Measurement Systems," <u>Nature Medicine</u> (1995) 1:1093-1096 | CX | SALIMI-MOOSAVI, H. et al., "Biology Lab-on-a-Chip for Drug Screening," <u>Solid-State Sensor and Actuator Workshop</u> (1998) 350-353 | CY | SEILER, K. et al., "Planar Glass Chips for Capillary Electrophoresis: Repetitive Sample Injection, Quantitation, and Separation Efficiency," <u>Anal. Chem.</u> (1993) 65:1481-1488 | CZ | SEILER, K. et al., "Electroosmotic Pumping and Valveless Control of Fluid Flow within a Manifold of Capillaries on a Glass Chip," <u>Anal. Chem.</u> (1994) 66:3485-3491 | DA | UEDA, M. et al., "Imaging of a Band for DNA Fragment Migrating in Microchannel on Integrated Microchip," <u>Materials Science and Engineering C</u> (2000) 12:33-36 | DB | WANG, C. et al., "Integration of Immobilized Trypsin Bead Beds for Protein Degestions within a Microfluidic Chip Incorporating Capillary Electrophoresis Separations and an Electrospray Mass Spectrometry Interface," <u>Rapid Commun. Mass Spectrom.</u> (2000) 14:1377-1383 |
| CM | JACOBSON, S.C. et al., "Electrokinetic Focusing in Microfabricated Channel Structures," <u>Anal. Chem.</u> (1997) 69: 3212-3217 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CN | JACOBSON, S.C. et al., "Microfluidic Devices for Electrokinetically Driven Parallel and Serial Mixing," <u>Anal. Chem.</u> (1999) 71: 4455-4459 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CO | MANZ, A. et al., "Miniaturized Total Chemical Analysis Systems: a Novel Concept for Chemical Sensing," <u>Sensors and Actuators</u> (1990) B1: 244-248 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CP | MANZ, A. et al., "Micromachining of Monocrystalline Silicon and Glass for Chemical Analysis Systems," <u>Trends in Analytical Chemistry</u> (1991) 10:144-149 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CQ | MANZ, A. et al., "Planar Chips Technology for Miniaturization and Integration of Separation Techniques into Monitoring Systems," <u>Journal of Chromatography</u> (1992) 593:253-258 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CR | MANZ, A. et al., "Planar Chips Technology for Miniaturization of Separation Systems: A Developing Perspective in Chemical Monitoring," | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CS | MANZ, A. et al., "Electroosmotic Pumping and Electrophoretic Separations for Miniaturized Chemical Analysis Systems," <u>J. Micromach. Microeng.</u> (1994) 4: 257-265 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CT | MANZ, A. et al., "Parallel Capillaries for High Throughput in Electrophoretic Separations and Electroosmotic Drug Discovery Systems," <u>International Conference on Solid-State Sensors and Actuators</u> (1997) 915-918 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CU | McCORMICK, R.M. et al., "Microchannel Electrophoretic Separations of DNA in Injection-Molded Plastic Substrates," <u>Anal. Chem.</u> (1997) 69: 2626-2630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CV | MOORE, A.W. et al., "Microchip Separations of Neutral Species via Micellar Electrokinetic Capillary Chromatography," <u>Anal. Chem.</u> (1995) 67: 4184-4189 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CW | RAMSEY, J.M. et al., "Microfabricated Chemical Measurement Systems," <u>Nature Medicine</u> (1995) 1:1093-1096 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CX | SALIMI-MOOSAVI, H. et al., "Biology Lab-on-a-Chip for Drug Screening," <u>Solid-State Sensor and Actuator Workshop</u> (1998) 350-353 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CY | SEILER, K. et al., "Planar Glass Chips for Capillary Electrophoresis: Repetitive Sample Injection, Quantitation, and Separation Efficiency," <u>Anal. Chem.</u> (1993) 65:1481-1488 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CZ | SEILER, K. et al., "Electroosmotic Pumping and Valveless Control of Fluid Flow within a Manifold of Capillaries on a Glass Chip," <u>Anal. Chem.</u> (1994) 66:3485-3491 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DA | UEDA, M. et al., "Imaging of a Band for DNA Fragment Migrating in Microchannel on Integrated Microchip," <u>Materials Science and Engineering C</u> (2000) 12:33-36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DB | WANG, C. et al., "Integration of Immobilized Trypsin Bead Beds for Protein Degestions within a Microfluidic Chip Incorporating Capillary Electrophoresis Separations and an Electrospray Mass Spectrometry Interface," <u>Rapid Commun. Mass Spectrom.</u> (2000) 14:1377-1383 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|-----------------------|---|--------------------|----------|
| Examiner Signature |  | Date Considered | 03/21/03 |
|-----------------------|---|--------------------|----------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

O I P E
SEP 03 2002
PATENT & TRADEMARK OFFICE

| | | | |
|--|--|------------------------|---------------|
| Substitute for form 1449A-B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Complete if Known | |
| | | Application Number | 10/092,011 |
| | | Filing Date | March 5, 2002 |
| | | First Named Inventor | Shuck |
| | | Group Art Unit | SEI |
| | | Examiner Name | 20012 |
| | | Attorney Docket Number | 100/12710 |

| | |
|----|--|
| DC | WOOLLEY, A.T. et al., "Ultra-High-Speed DNA Fragment Separations Using Microfabricated Capillary Array Electrophoresis Chips," <u>Proc. Natl. Acad. Sci. USA</u> (1994) 91:11348-11352 |
| DD | WOOLLEY, A.T. et al., "Functional Integration of PCR Amplification and Capillary Electrophoresis in a Microfabricated DNA Analysis Device," <u>Anal. Chem.</u> (1996) 68: 4081-4086 |
| DE | WOOLLEY, A.T. et al., "High-Speed DNA Genotyping Using Microfabricated Capillary Array Electrophoresis Chips," <u>Anal. Chem.</u> (1997) 69:2181-2186 |
| DF | WOOLLEY, A.T. et al., "Capillary Electrophoresis Chips with Integrated Electrochemical Detection," <u>Anal. Chem.</u> (1998) 70: 684-688 |
| DG | ZHANG, B. et al., "Microfabricated Devices for Capillary Electrophoresis-Electrospray Mass Spectrometry," <u>Anal. Chem.</u> (1999) 71:3258-3264 |

| | | | |
|-----------------------|---|--------------------|----------|
| Examiner Signature |  | Date Considered | 03/02/05 |
|-----------------------|---|--------------------|----------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.